

**DECLARATION OF COMPLIANCE FOR MATERIALS AND ARTICLES INTENDED TO
COME INTO CONTACT WITH FOOD**

Date : April 2020⁽¹⁾

Rev.6

We hereby confirm that the material :

PTFE G420

- **Comply with the requirements of the Regulation (EC) No. 1935/2004**
- **The material comply with Regulation (EC) No. 10/2011 and subsequent updated amendments . It can be used as specified below* based on migration tests (overall migration as well as the specific migration) performed on material with simulants below identified**
- **Is manufactured following the indications of Good Manufacturing Practice (GMP) as set out in Regulation (EC) No. 2023/2006**
- **Is suitable to be used in contact with foodstuffs in accordance with U.S. legislation – FDA 21 CFR 177.1550 “Perfluorocarbon resins” and FDA 21 CFR 175.300 “ Resinous and polymeric coatings”**
- **representative samples have been tested in accordance with “3-A® Sanitary Standards for Multiple-Use Plastic Materials, Number 20-27” protocol and meets its requirements**

Specifications on the intended use :

- Type(s) of food intended to come into repeated contact with the material :
All types of food : aqueous, acidic, alcoholic, oily or fatty foodstuffs
- Type(s) of food not intended to come into repeated contact with the material :
Not applicable
- Time and temperature of treatment and storage when in contact with food :
Tested in Acetic Acid 3% W/v in aqueous solution (10 days at 40°C), Ethanol 50% v/v in aqueous solution (10 days at 40°C) and in Rectified olive oil (10 days at 40°C)
- Ratio of food contact surface area to volume (S/V) used to establish the compliance of the material :
S/V = 1

Page 1 of 2



GUARNIFLON SPA
(Società Socio Unico soggetta all'attività di direzione e coordinamento ex art. 2497 bis C.C. da parte di Mazza Holding srl)
Via T. Tasso n. 12 - 24060 Castelli Calepio (BG) ITALY
VAT N° IT 01406020162
C.F. 01406020162
REG.IMPRESSE DI BG - REA N. 203233
CAPITALE SOCIALE € 10.000.000 interamente versato

PTFE Products Division

Phone +39.035.4494311
Domestic Dept. Fax +39.035.4425191
Export Dept. Fax +39.035.4425238

PTFE Finished and Semifinished products
<http://www.guarniflon.com> - info@guarniflon.com
Accounting Dept. fax +39.035.4425249



UNI EN ISO 9001:2008



The following substances subject to restriction under Regulation EC No. 10/2011 are used in the material :

Chemical name of the substances	CAS No.	Restrictions
Tetrafluoroethylene	0000116-14-3	SML = 0,05 mg/kg

Notes

It remains the responsibility of the customer use the plastic article manufactured from the product into the intended use, to assess the final suitability of the plastic material for the intended food contact application . i.e. checking if the physical properties of plastic material make it suitable for the intended application, checking compliance of the finished plastic article with the relevant migration limits, checking for possible influence of the plastic material on the composition and/or organoleptic properties of the contacting foodstuff, etc.

(1) - This Declaration will expire 3 years after the date of this issue

- Finished food contact articles shall be manufactured such that the surface skin(s) of semifinished product is (are) taken away.
- In accordance to GMP the food contact articles shall be thoroughly cleaned prior their first use in contact with food.
- It is the responsibility of the buyer to assure traceability of the material during any further downstream use up to and including the finished machined part as well as the equipment in which it is assembled.

Note No. 2 : The customer must always specify in the Orders when an approval / certification stated in this document is necessary. This because the approved material follow a different internal procedure with respect to the standard material.

Note No. 3 : the present declaration It is not valid unless accompanied by a certificate showing the identification (Lot No.) of material supplied

- Rev.0 – Date of First Issue - Released in December 2012 -
- Rev.1 – Released in April 2013- FDA suitability added
- Rev. 2 – Released in September 2013 – 3A Sanitary Standards tests compliance added
- Rev. 3 – Note No. 2 added
- Rev. 4 – Note No. 3 added
- Rev. 5 - Validity of Declaration prolonged up to September 2021 and update amendments to 10/2011 added
- Rev. 6 – Declaration validity Updated

